

TestkingIT

Testking IT

[Contact Us](#) [Login / Register](#)

- [HOME](#)
- [ALL VENDORS](#)
- [★ GUARANTEE](#)
- [? FAQ](#)
- [TESTIMONIALS](#)
- [CART \(0\)](#)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : **1z0-1042**

Title : Oracle Cloud Platform
Application Integration 2019
Associate

Vendor : Oracle

Version : DEMO

NO.1 Which setting is used for a system that is hosting a web application to be allowed to access Oracle Internet of Things (IoT) Cloud Service resources?

- A. OAuth Access Token Lifetime
- B. Management Console Timeout Interval
- C. Message Storage and Command Notification
- D. Cross-Origin Resource Sharing (CORS)

Answer: D

Explanation

The cross origin resource sharing setting specifies if the system that is hosting a web application is allowed to access Oracle IoT Cloud Service resources. The assumption is that the web application is running in a browser that is also implementing the CORS specification. Any browser based JavaScript client running on the specified host can access Oracle IoT REST APIs. However they will need to follow the Oracle IoT REST API authorization process to run any operations.

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotsu/setting-cross-origin-resource-sharing-value.html>

NO.2 What are two key benefits of Oracle Web Service Manager (OWSM) in the management and security of Web services across the organization?

- A. Developers no longer need to understand security specifications and security implementation details.
- B. OWSM provide a framework that is externalized and declarative outside of the web service implementation.
- C. Security is controlled by the developer of the service and this gives greater control to the development of the service.
- D. OAuth services are used for REST based services.

Answer: A,B

Explanation

<https://docs.oracle.com/middleware/1212/owsm/OWSMC/owsm-intro.htm#OWSMC110>

NO.3 You provision an Oracle SOA Cloud Service instance and specify a compute shape so that the JVM heap size for WebLogic Serve, and Load Balancer processes are determined automatically. Which statement is correct after provisioning the instance in this scenario?

- A. You can change the heap size by using the Weblogic Server Administration Console.
- B. You can change the heap size to a maximum of 32GB.
- C. You cannot change the heap size once the Service Instance is provisioned.
- D. You can change the heap size by logging a Oracle Cloud Support Service Request.

Answer: A

NO.4 Which two are On-prem Connectivity Options with Oracle Integration Cloud (OIC)?

- A. PaaS Agent
- B. VPN
- C. Connectivity Agent
- D. Execution Agent

Answer: A,C

Explanation

<https://blogs.oracle.com/soaproactive/announcing-oracle-integration-cloud-oic>

NO.5 Which expression can you use to schedule integration runs?

- A. a JavaScript
- B. a XPATH
- C. an iCal
- D. a XSLT

Answer: C

Explanation

https://docs.oracle.com/cloud/previous/intcs_gs/ICSUG/GUID-622B74FE-D9EC-4A62-8DF1-1E96912C8FB8.h

NO.6 You receive a status code: 502 Proxy Error.

Which is a possible event cause for this error?

- A. while registering a large number of devices using the Batch Registration feature under the Devices menu
- B. while adding proxy for an enterprise application device
- C. when the proxy setup is incorrect
- D. while the proxy server is not responding to the request

Answer: A

Explanation

<https://docs.oracle.com/en/cloud/paas/iot-cloud/iotgs/troubleshooting-management-console-issues.html>

NO.7 Which two are NOT default start and end events in Process Cloud Service?

- A. Folder start and None end event
- B. None start and end event
- C. SOAP start and SOAP end event
- D. Task start and end event

Answer: C,D

Explanation

<https://docs.oracle.com/en/cloud/paas/process-cloud/user/defining-process-start-and-end.html#GUID-E3E20D7C>

NO.8 Which role is needed for managing users from Oracle Internet of Things (IoT) Cloud Service?

- A. System Administrator
- B. lotOperatorsGroup
- C. lotUsersGroup
- D. TotAdministratorsGroup

Answer: A