

TestkingIT

Testking IT

> Contact Us

Login / Register

Search...



HOME

ALL VENDORS

★ GUARANTEE

? FAQ

TESTIMONIALS

CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : **4A0-104**

Title : Alcatel-Lucent Services
Architecture

Vendor : Alcatel-Lucent

Version : DEMO

NO.1 Which of the following encapsulation types on an Ethernet port support the provisioning of multiple SAPs? (Choose 2)

- A. Dot1Q
- B. Q-in-Q
- C. ATM
- D. NULL
- E. Nil

Answer: A,B

NO.2 When a physical port is configured for null encapsulation, many SAPs can be configured using that port.

- A. TRUE
- B. FALSE

Answer: B

NO.3 Which of the following is NOT a VPWS service supported on the Alcatel-Lucent 7750 SR?

- A. Epipe
- B. Fpipe
- C. Apipe
- D. Ipipe
- E. Cpipe
- F. Gpipe

Answer: F

NO.4 VPWS allows carriers to offer services such as point-to-point frame-relay, ATM, and Ethernet on a single platform without the need for multiple overlay networks.

- A. TRUE
- B. FALSE

Answer: A

NO.5 When configuring distributed services across a network, it is considered best practice to configure which of the following parameters as globally significant? (Choose 2)

- A. SDP ID
- B. Service ID
- C. Customer ID
- D. SAP ID

Answer: B,C

NO.6 SAPs in an Epipe service can only be configured on Ethernet ports

- A. TRUE
- B. FALSE

Answer: B

NO.7 Which of the following tasks must be carried out before deleting an Epipe service? (Choose 4)

- A. Shut down all SAPs associated with the service.
- B. Shut down all SDPs associated with the service.
- C. Delete all SAPs and SDPs associated with the service.
- D. Shut down all physical ports that are bound to a SAP.
- E. Delete the Customer ID.
- F. Shut down the service.

Answer: A,B,C,F

NO.8 Which of the following SAPs will forward all tagged and untagged frames on the port? (Choose 2)

- A. sap 1/1/1
- B. sap 1/1/1:*
- C. sap 1/1/1:* .0
- D. sap 1/1/1:0*
- E. sap 1/1/1:0

Answer: A,B

NO.9 Which of the following statements is FALSE regarding SAPs?

- A. VPWS: SAPs can be defined on Ethernet, POS, Sonet/SDH, or TDM channels.
- B. VPWS: Two SAPs are defined for a service that originates and terminates on the same Alcatel-Lucent 7750 SR
- C. VPLS: More than two SAPs can be defined in a service.
- D. VPWS: SAPs are associated with an IP interface.

Answer: D

NO.10 Which tree in the CLI would you need to be in to add a QoS policy to a SAP?

- A. config>router#
- B. config>qos#
- C. config>port#
- D. config>service#

Answer: D

NO.11 A customer requests that their Layer 2 Ethernet service be configured to forward frames up to 9000 bytes. The service provider is using MPLS encapsulation. What is the minimum MTU setting for the network ports?

- A. 9000
- B. 9004
- C. 9008
- D. 9022
- E. 9036

Answer: D

NO.12 Which of the following commands is used to configure the encapsulation type of an Ethernet port?

- A. configure ethernetencap-type dot1q | null | qinq port port-id
- B. configure service port port-id ethernetencap-type dot1q | null | qinq create
- C. configure port port-id ethernetencap-type dot1q | null | qinq
- D. configure service service-id ethernetencap-type dot1q | null | qinq create

Answer: C

NO.13 A service can be either local or distributed.

- A. TRUE
- B. FALSE

Answer: A

NO.14 Which of the following options are used to configure an MPLS signaling type to be used on an SDP? (Choose 2)

- A. configure service sdp sdp-id gre create
- B. configure service sdp sdp-id create
- C. ldp
- D. ldp ldp-name

Answer: C,D

NO.15 Which of the following commands is required to configure an Ethernet port to be used as a SAP in a service?

- A. Configure service sap sap-id access
- B. Configure port port-id ethernet mode access
- C. Configure port port-id ethernet mode network
- D. Configure port port-id mode access
- E. Configure port port-id mode network

Answer: B