

TestkingIT

Testking IT

> Contact Us Login / Register Search...

- HOME
- ALL VENDORS
- ★ GUARANTEE
- ? FAQ
- TESTIMONIALS
- CART (0)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.

- iMessenger
- VOREED
- GetCustom
- JET ORANGE
- iCompany
- Paradoxx



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

Exam : C2210-929

Title : IBM WebSphere Portal 8.0
Deployment and Administration
Update

Vendors : IBM

Version : DEMO

NO.1 In order to view site analytics overlay reports, Harold needs at least the following access:

- A. ADMINISTRATOR role on virtual resource OVERLAYREPORTS and ADMINISTRATOR role for the resource he wants to view.
- B. MANAGER role on virtual resource OVERLAYREPORTS and MANAGER role for the resource he wants to view
- C. SECURITY ADMINISTRATOR role on virtual resource OVERLAYREPORTS and SECURITY ADMINISTRATOR role for the resource he wants to view.
- D. USER role on virtual resource OVERLAYREPORTS and USER role for the resource he wants to view.

Answer: D

NO.2 Identify the false statement pertaining to log files generated during installation, maintenance, and

operation of IBM WebSphere Portal:

- A. ConfigTrace.log - Contains information that is generated each time a ConfigEngine task is executed. This file is located in wp_profile_root/ConfigEngine/log directory.
- B. trace.log - Used for Diagnostic Trace to log information related to the Collaborative Services. This file is located in wp_profile_root/logs/WebSphere_Portal directory.
- C. siteanalyzer.log - contains the the portal configuration service SiteAnalyzerLogService information that determines the type of site analysis data that the portal logs at run time. This file is located in wp_profile_root/logs/WebSphere_Portal/sa directory.
- D. SystemOut.log - Contains runtime information.

Answer: C

NO.3 Which one of the following is true when using OpenID as an external identity provider?

- A. Administrators are not allowed to change the list of external identity providers that users can access.
- B. To modify the list of accepted external identity providers, administrators can edit the openid.servicenames property in the Resource Environment Providers section in the IBM WebSphere Integrated Solutions console.
- C. To modify the list of accepted external identity providers, administrators can edit the openid.servicenames in the custom properties for the com.ibm.portal.auth.OpenIDTAI trust association interceptor.
- D. To modify the list of accepted external identity providers, administrators need to edit the openid.servicenames property in the wkplc.properties file and then run the enable-identityprovidertai task.

Answer: C