

# TestkingIT

Testking IT

[Contact Us](#) [Login / Register](#)

- [HOME](#)
- [ALL VENDORS](#)
- [★ GUARANTEE](#)
- [? FAQ](#)
- [TESTIMONIALS](#)
- [CART \(0\)](#)



Try **Desktop Test Engine** before you buy

We're not the only ones **happy** about TestKingsIT Practice Material ...

48236+ customers in 100+ countries use TestKingsIT Test Engine. Meet our customers.



<http://www.testkingit.com/>

Latest practice material - Exam Cram - TestKingIT

**Exam** : **OMS-435**

**Title** : Build Guided Experiences with  
OmniStudio

**Vendor** : Salesforce

**Version** : DEMO

**NO.1** A developer needs to limit the of a DataRaptor Extract to a maximum of one result. How should the developer configure this?

- A. Set the Limit Property on the Action that calls the DataRaptor Extract.
- B. Define a formula with the Filter function
- C. Use the LIMIT filter on the Extract definition
- D. Use a Custom Output Type when creating the DataRaptor


**Answer:** C

**NO.2** Which two fields in an Integration Procedure can use a function like CONCAT or DATEDIFF? Choose 2 answers

- A. In a Remote Action, in a Remote Options value field.
- B. In Procedure Configuration, in a Tracking Custom Data value field.
- C. In a Remote Action, in an Additional Output value field.
- D. In a Response Action, in an Additional input value field.

**Answer:** C,D

**NO.3** Refer to the exhibit below.



What is the reason that the fields fail to display the fetched data?

- A. Use Data JSON is Not selected in the properties of the Type Ahead Block.
- B. The typeHead key is not in the correct format.
- C. FirstName, LastName, and BirthDate are not placed inside the Type Ahead Block.
- D. Lookup Mode is selected in the properties of the Type Ahead Block.

**Answer:** C

**NO.4** A developer is configuring an integration Procedure Action in an OmniScript. The Omniscript needs a JSON response from the Integration Procedure but does not need to wait for the response for the user to proceed.

Which feature should the developer enable?

- A. Use Future
- B. Invoke Mode Fire and Forget
- C. Invoke Mode Non-Blocking
- D. Toast Completion

**Answer:** C

**NO.5** A developer creates an Integration Procedure with a Set Values and a DataRaptor Extract Action that requires AccountId as a key. When the developer previews the Integration Procedure, the developer enters the AccountId correctly and execute the Preview. The developer sees the data extract by the DataRaptor in the Debug Log, but the response is empty.

What is the likely cause of this issue?

- A. The Response cannot be previewed directly.
- B. A Response Action was not added to the integration Procedure.
- C. The AccountId used for the preview is invalid.
- D. The DataRaptor Action did not have the add response Ro Response JSON property set to true.

**Answer:** B

**NO.6** A developer is configuring the API URL in an HTTP Action element within an Integration procedure.

What is the merge code syntax for passing a Date node from an element named SetValue in the URL?

- A. (' Setvalues') [ 'Date']
- B. %SetValues Date
- C. x%SetValues.Date%
- D. {(SetValues. Date)}

**Answer:** C

**NO.7** In an Integration Procedure, a developer needs to perform a multi-step calculation on every element of an array.

Based on best practices, what two methods are recommended?

Choose 2 answers

- A. Use an Expression Set Action to call an Expression Set.
- B. Use a Decision Matrix Action to call a Decision Matrix.
- C. Use a List Action to merge the array elements together.
- D. Use a Set Values Element inside a Loop Block.

**Answer:** A,D

**NO.8** What should a developer's first step be when troubleshooting whether a DataRaptor Extract is retrieving data?

- A. Go to the Lightning Console and reload the page to test.
- B. Deactivate the card and layout, and go to the PREVIEW tab for the card to test.
- C. Go to the PREVIEW tab In OmniScript to test.

**D.** Add a key/value pair in the DataRaptor to test it.

**Answer:** D

**NO.9** A developer writes an OmniScript that includes a DataRaptor that updates the Account status based on information provided from the OmniScript. The information must be updated only if the Account record already exists. Otherwise, a new account must be created.

How should the developer accomplish this task?

**A.** Check the Upsert Key checkbox on the Account Status field

**B.** Check Overwrite Target For All Null Inputs checkbox on the Account Id field

**C.** Check the Upsert Key and Is Required for Upsert checkboxes on the Account Id field

**D.** Populate the Lookup Object and Lookup Fields

**Answer:** D